	POPULATI ON	ESTI MATES				CENSUS	DATA			LOCAL PUBLIC HEA	ALTH	
1									Ι,			
Total 10	995 Populat	ion Est	<i>1</i> 9 190						۱,	Activities Reported	Numbon	Per
	nt Female	IOH ESC	50. 4	   Note:	Data in	this	section	are from	ı	ACTIVITIES Reported	Number	10,000
rereer	ic remare		00. 4				us. (All		'l	Public Health Nursing		- 1
Popul ati	ion per squ	are mile	49				ain 1995		ľ	Total clients	1, 923	456
Rank i	in state		34	ĺ	except	where s	speci fi e	ed. )	ĺ	Total visits	5, 465	1, 296
(_1=hi	ighest popu	lation den	si ty,	J	- -		- 	. 1		Visits: Rosson for		1
72=10	owest popul	ation dens	ity.)	Ι,	Rati	io of 1	989 Fam	ily	- [	Gen hlth promotion Infant/child hlth	79	19
				,1	1 ne	come to	Poverty ative)	y	-	Infant/child hith Infectious & parasitic	1, 296	307 128
_Age	Female	Mal e	Total_	1,		(Cullul	ative)		- 1	C' 1	1	•
$\frac{\Lambda gC}{0-14}$	4, 390	4, 840	9, 230	Age	<100%	<185%	<200%	Total	ا'	Prenatal	2. 013	477
15- 19	1, 550	1, 670	3, 219	<5	16	47	53	2, 825		Postpartum	1, 277	303
20- 24	1, 190	1, 270	2, 460	5-17	14	38	43	8, 272		_		İ
25- 29	1, 060	1, 110	2, 170	18-44	12 6	31	36	15, 080		WIC Participants	1, 907	452
30- 34 35- 39	1, 510	1, 500	3, 010 3, 400	45-64 65+	6 13	21 49	24 54	7, 392	-	Clinia Viaita	11, 782	9.702
35- 39 40- 44	1, 680 1, 530	1, 720 1, 600	3, 400 3, 130	05+	13	49	34	6, 362		Clinic Visits Immunization	6, 922	
45- 54	2, 430	2, 470	4, 900	1						Blood pressure	0, 322	1, 041
55- 64	1, 890	1, 710	3, 600							2100u pressure	•	•
65- 74	1, 850	1, 640	3, 490							Environmental Contacts		'
75-84	1, 490	1, 040	2, 530	C A	N C E	RIN	C I D E	N C E	٠ [	Env hazards	118	
85+ T-+-1	700	340	1, 040	,l		(1995)	)		ار	Public health nuisance	322	76
Total	21, 270	20, 910	42, 180	Primar	w cita			Number	١,	School Health		I
				Color	<u>y 51 CC</u> 1			Number 21	- 1'	Vision screenings	1, 419	336
_Age	Femal e	Mal e	<u>Total</u>	Lung				25	1	Vision screenings Hearing screenings	623	148
0-17	5, 360	5, 880	11, 240	Breas	t			23	- ['			[
18- 44	7, 550	7, 830	15, 380	Prost	ate			40	Ι.	Health Education		_
45-64	4, 320	4, 180	8, 500	<u>All c</u>   Total	<u>others</u>			90 199	ار	Community sessions	20	5
65+ Total	4, 040 21, 270	3, 020 20, 910	7, 060 42, 180	Totai				199	١,	Community attendance School sessions	966 105	229 25
locai	21, 270	20, 310	42, 100	l					١,	School attendance		619
									1'		~, 012	
	- E M P L O	YMENT		L	O N G	T E	R M C	A R E	-			'
NT			1							Total staff	22	5. 3
Note: Ave	erage wage	is based o	n place	11	II 1 + l-	٨ :		0		Admi ni strators	1	0. 2 1. 9
OI	work, not	prace or r	esi dence.	ноше   <b>Pati</b> е		Agenci	es	$\begin{array}{c} 2\\771\end{array}$	ار	Public health nurses Public health aides	8 2	0.5
Average v	wage for jo	bs covered		Patie	ents pei	10.00	0 pon	183		Environmental specialist		0. 5
by Unempl	loyment Con	pensation	\$19, 151	ľ	•		- P°P		1	poolulise	•	
]	•	-		'  Nursi	ng Home	es		8	<u> </u>			
Labor For	<u>rce Estimat</u>	es Annua	d Average	Li cer	ised bed	ds		542	Ţ	LOCAL PUBLIC HEALT	TH FUNDI	NG
Civiliar	n labor for r employed r unemploye	ce	23, 420	Uccup	ancy ra	te (per	rcent)	97. 2% 530			Amount	Per
Number Number	r unemployed	ьd	ሬሬ, ሬዕ <i>ነ</i> 1 133	Resid	ents on ents pe	1 1&/31/ or 1 000	า ไ	530		Total funding 99	AIIIOUNT <b>70 337 9</b>	<u>Capita</u>
Unem	ployment ra	ite	4. 8%	non	ul ati on	aged (	, 35 or al	der 73	1	Total funding \$8 Local taxes \$4	58. 158 S	\$10. 86
			1. 5/0	PSP	aci 011	ugeu (			1	Local cares (4	, 100	
· ·									_'			'

FOTAL LIVE BIRTHS		550	Birth Order	Bi rths	Percent	Marital Status		
			Fi rst	238	43	<u>of Mother</u>	Bi rths	Percent
Crude Live Birth Rate		13. 0	Second	177	32	Marri ed	403	73
General Fertility Rat	:e	64. 5	Thi rd	84	15	Not married	147	27
			Fourth or higher	51	9	Unknown	0	
Live births with repo congenital anomalies	orted		Unknown	0	•			
congenital anomalies		9 . %				Educati on		
			First Prenatal			<u>of Mother</u>	Births	Percent
Delivery Type	<u>Births</u>	<u>Percent</u>	<u>Vi si t</u>	Bi rths	Percent	Elementary or less	27	5
agi nal "after			1st trimester	421	77	Some high school	<b>74</b>	13
previous cesarean	17	•	2nd trimester	105	19	Hi gh school	211	38
orceps	4	•	3rd trimester	17		Some college	154	28
ther vagi nal	427	78	Novisits	4	•	College graduate	82	15
rimary cesarean	69	13	Unknown	3	•	Unknown	2	•
Repeat cesarean	31	6						
Other or unknown	2	•	Number of Prenatal		_	Smoking Status	<b>.</b>	_
	·	_	<u>Care visits</u>	<u>Births</u>	Percent	<u>of Mother</u>	Bi rths	Percen
Birth Weight		Percent	No visits	4	•	Smoker	125	23
1,500 gm	1		1-4 visits	22	4	Nonsmoker	425	77
, 500-2, 499 gm	22	4. 0	5-9 visits	148	27	Unknown	0	•
, 500+ gm	527	95. 8	10-12 visits	236	43			
J <b>nknown</b>	0	•	13+ visits Unknown	136 4	25			
	Total B		Low Birth Weight (under 2,500 gm)	1st Tri		ter of First Prenatal 2nd Trimester	Visit Other/	II mlemanem
)C M-+1							other/	UHKHOWH
cace or mother	Births P	'ercent	Births Percent	Bi rths	Percent	Births Percent	Bi rths	
	538	<u>Percent</u> 98	Births Percent 23 4.3			Births Percent 103 19		
Vhite	538 1		Births Percent	Births 411	Percent	Births Percent 103 19	Bi rths	Percent
hite Black Other	538 1 11		Births Percent	Bi rths	Percent	Births Percent	Bi rths	Percent
hite lack ther	538 1		Births Percent	Births 411	Percent	Births Percent 103 19	Bi rths	Percent
hite Black Ither	538 1 11		Births Percent 23 4.3	Births 411	Percent 76	Births         Percent           103         19           .         .           .         .           .         .	Bi rths 24	Percent
White Black Other	538 1 11 0	98	Births Percent 23 4.3	Births 411 9	Percent 76 Tri mest	Births Percent  103 19  2 .  ter of First Prenatal	Births 24	Percent 4
White Black Other Unknown	538 1 11 0	98	Births Percent 23 4.3	Births 411 9	Percent 76	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester	Births 24  Visit Other/	Percent 4
White Black Other Unknown Age of Mother	538 1 11 0 Fe Births	98 : : ertility Rate	Births Percent 23 4.3	Births 411 9	Percent 76 Tri mest	Births Percent  103 19  2 .  ter of First Prenatal	Births 24  Visit Other/	Percent 4
White Black Other Unknown Age of Mother <15	538 1 11 0 Fe Births	98 ertility Rate	Births Percent 23 4.3    Low Birth Weight (under 2,500 gm) Births Percent	Births 411  9  1st Tri Births	Percent 76	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent .	Births 24  Visit Other/ Births	Percent 4
Nhite Black Other Inknown Sge of Mother <15 15-17	538 1 11 0 Fe Births 0 27	98 ertility Rate  28	Births Percent 23 4.3    Low Birth Weight (under 2,500 gm) Births Percent  1 .	Births 411  9  1st Tri Births  20	Percent 76 Tri mest i mester Percent . 74	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent  6 .	Births 24  Visit Other/ Births	Percent 4
Nhite Black Other Inknown See of Mother <15 15-17 18-19	538 1 11 0 Fe Births 0 27 46	98 ertility Rate  28 79	Births Percent 23 4.3    Low Birth Weight (under 2,500 gm) Births Percent  1 .	Births 411  9  1st Tri Births  20 27	Percent 76 Tri mest i mester Percent . 74 59	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent  6 . 17 .	Births 24  Visit Other/ Births	Percent 4
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	538 1 11 0 Fe Births 0 27 46 152	98 	Births Percent 23 4.3    Low Birth Weight (under 2,500 gm) Births Percent   1 . 3 . 2 .	Births 411  9  1st Tri Births  20 27 109	Percent 76 Tri mest i mester Percent . 74 59 72	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent  6 . 17 . 35 23	Births 24  Visit Other/ Births	Percent 4
Nhite Black Other Inknown Sige of Mother <15 15-17 18-19 20-24 25-29	538 1 11 0 Fe Births 0 27 46 152 177	98  ertility Rate  28 79 128 166	Births Percent 23 4.3	Births 411  9  1st Tri Births  20 27 109 147	Percent 76 Tri mest i mester Percent . 74 59 72 83	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent  6 . 17 . 35 23 21 12	Births 24  Visit Other/ Births	Percent 4
White Black Other Jnknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	538 1 11 0 Fe Births 0 27 46 152 177 111	98 	Births Percent 23 4.3	Births 411  9  1st Tri Births  20 27 109 147 92	Percent 76 Tri mest i mester Percent . 74 59 72 83 83	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent  6 . 17 . 35 23 21 12 16 .	Births   24	Percent 4
hite Slack Sther Inknown Sge of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	538 1 11 0 Fe Births 0 27 46 152 177 111 32	98  ertility Rate  28 79 128 166	Births Percent 23 4.3	Births 411  9  1st Tri Births  20 27 109 147 92 23	Percent 76 Trimestimester Percent . 74 59 72 83 83 72	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent  6 . 17 . 35 23 21 12 16 . 8 .	Births 24  Visit Other/ Births	Percent 4
hite Black Other Inknown See of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	538 1 11 0 Fe Births 0 27 46 152 177 111 32 4	98 	Births Percent 23 4.3	Births 411  9  1st Tri Births  20 27 109 147 92 23 2	Percent 76 Tri mest i mester Percent . 74 59 72 83 83	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent  6 . 17 . 35 23 21 12 16 .	Births   24	Percent 4
15- 17 18- 19 20- 24 25- 29 30- 34 35- 39	538 1 11 0 Fe Births 0 27 46 152 177 111 32	98 	Births Percent 23 4.3	Births 411  9  1st Tri Births  20 27 109 147 92 23	Percent 76 Trimestimester Percent . 74 59 72 83 83 72	Births Percent  103 19  2 .  ter of First Prenatal 2nd Trimester Births Percent  6 . 17 . 35 23 21 12 16 . 8 .	Births   24	Percent 4

## 1995 PROFILE FOR BARRON COUNTY PAGE 31 Third of four pages ----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES | Fetal deaths. | Fetal deaths fetal deaths. \* Includes HBV carriers \*\* Includes HCV screens <u>Sexually Transmitted Disease</u> Race of Mother Al cohol 8 . White 2 . Other Drugs 8 . Black . . Both Mentioned 1 . Other . . . . . Unknown .</td

Children in Grades K-12 by Compliance Level

Compl i ant	9, 231
Non-compliant	112
Percent Compliant	98. 8

----- I M M U N I Z A T I O N S ------

hildren in Grades K-12 by
Compliance Level

Compliant
Non-compliant
Percent Compliant
98.8

Perinatal
Mortality
Deaths
Rate

Total Perinatal
Neonatal
Percent 2

Fetal

Perinatal
A

Fetal

Perinatal
A

Fetal
A

Al cohol	8	
Other Drugs	8	
Both Mentioned	1	

UNKNOWN	•	•	MDIOR VEHIC	LE CRASHES	,	
Birth Weight <1,500 gm 1,500-2,499 gm	•	•	Note: These data are of crash, not			 
		•	Towns of Motors	D	D	
2, 500+ gm	۲	•	Type of Motor	Persons		- 1
Unknown	•	•	<u>Vehicle Crash</u>	Inj ured	<u>Killed</u>	
			Total Crashes	544	13	Ι΄
			Al cohol - Rel ated	88	7	ì
Peri nat.al			With Citation:		· I	ľ
Mortality	Deaths	Rate	For OWI	30	0 '	1
Total Perinatal	4	•	For Speeding	30	0	ì
Neonatal	2		Motorcyclist	14	0	Ĺ
Fetal	2		Bicyclist	8	0	
		•	Pedestri an	13	1	ľ

## ------ H O S P I T A L I Z A T I O N S -----

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DI SEASE / AGE GROUP	Number	1, 000	Average Stay (Days)	Average	Charge Per Capi ta
Injury-Related	. Δ11	_	-		_	Al cohol - Rel at ed	Ì	_			_
Total	396	9. 4	4. 6	\$6, 833	\$64	Total	185	4. 4	5. 9	\$2,530	\$11
<18	48	4. 3	3. 5	\$6, 634	\$28	18- 44	120	7. 8	4.8	\$2, 249	\$18
18- 44	88	5. 7	3. 5	\$7, 011	\$40	45-64	34	4. 0	4. 2	\$2, 154	\$9
45-64	58	6.8	3.8	\$7, 422	\$51	40 04	01	1.0	1. ~	ψ <b>ω</b> , 10-1	ΨŪ
65+	202	28. 6	5. 6	\$6, 634	\$190	Pneumonia and I	nfluenza				
Injury: Hip		۵۵. U	3. 0	ψ <b>0</b> , <b>0</b> 5 <b>1</b>	<b>Q130</b>	Total	262	6. 2	4. 9	\$5, 011	\$31
Total	58	1. 4	6. 4	\$8, 639	\$12	10tai   <18	52	4.6	2.8	\$2, 621	\$12
65+	56	7. 9	6. 5	\$8, 683	\$69	45-64	45	5.3	4.6	\$5, 078	\$27
Injury: Pois		7. 3	0. 5	<b>30, 003</b>	<b>303</b>	45-04	157	22. 3	5.8	\$5, 864	\$131
Total	25	0. 6	2. 9	\$3, 018	<b>\$2</b>	05+	137	~~. J	5. 6	95, <del>604</del>	9131
18- 44	14			33, U16		Cerebrovascul ar	Di conco				
10- 44	14	•	•	•	•	Cerebrovascurar	164	3. 9	5. 1	\$7, 281	<b>\$28</b>
Psychi atri c						45-64	25	3. 9 2. 9	5. 1 5. 4	\$12, 196	\$26 \$36
Total	334	7. 9	6. 1	\$2, 997	\$24	45-04	136	19. 3	5. 4 5. 1	\$6, 343	\$122
<18	33	2. 9	6. 4	\$2, 997 \$2, 675	\$24 \$8	05+	130	19. 3	3. 1	30, 343	3122
< 16 18- 44	33 191	12. 4	5. 7	\$2, 073 \$2, 738	\$34	Chronic Obstruc	+: D.l.	nonomi. D			
16- 44 45- 64	51	6.0	3. 7 7. 0	\$2, 738 \$3, 633	\$34 \$22		94	110 nary 12 2.2	4. 3	<b>\$4, 455</b>	\$10
45- 64 65+					\$22 \$29	Total				<b>\$4, 433</b>	•
69+	59	8. 4	6. 5	\$3, 467	\$29	<18   18- 44	6	•	•	•	•
C II	D:						11	o. 0		00 405	011
Coronary Heart		0 7	4.0	00.000	0.07	45-64	27	3.2	3. 2	\$3, 435	\$11
Total	284	6. 7	4. 2	\$9, 936	\$67	65+	50	7. 1	5. 3	\$4, 894	\$35
45-64	89	10. 5	3. 5	\$9, 891	\$103	D. a D.l.a.d.					
<b>65</b> +	178	25. 2	4. 6	\$9, 381	\$237	Drug-Related	0.1	0 7	0.0	00 550	00
M. I M	1 (0	,	411			Total	31	0. 7	9. 9	\$3, 558	\$3
Malignant Neop			All	00 010	600	18-44	9	•	•	•	•
Total	167	4. 0	6. 4	\$9, 818	\$39	m , 1 m , 1 .					
18- 44	14		٠. ~			Total Hospitali		100.0		AF 448	0010
45-64	35	4. 1	5. 7	\$8, 368	\$34	Total	5, 097	120. 8	4. 1	\$5, 117	\$618
65+	118	16. 7		\$10, 526	\$176	<18	858	76. 4	2. 6	\$1,759	\$134
Neoplasms: F		ast (ra	tes for	female po	pul at i on)	18-44	1, 310	85. 1	3. 1	\$3, 721	\$317
Total	13		•	•	•	45- 64	802	94. 2	4. 5	\$6, 933	\$653
Neoplasms: (		1	40 =			65+	2, 127	301.6	5. 2	\$6, 647	\$2,005
Total	25	0.6		\$19, 117	\$11			0 G D I			0.17.0
65+	20	2.8	10. 9	\$21, 440	\$61	PREVENTA					
Neoplasms: L	ung					Total	753	17. 9	4. 6	\$4, 740	\$85
Total	16	•	•	•	•	< 18	95	8. 5	2. 6	\$2, 311	\$20
D. 1 .						18-44	69	4. 5	3. 3	\$3,674	\$16
Diabetes						45-64	131	15. 4	4.8	\$6, 152	\$95
Total	47	1. 1	5. 9	\$6, 552	\$7	65+	458	<b>65.</b> 0	5. 1	<b>\$5, 001</b>	\$325
<b>65</b> +	23	3. 3	6. 9	\$7, 373	<b>\$24</b>	]	_		_	_	_
						* Hospitalizatio	ns for co	ondi ti on	s_where	timely a	nd _
						effective ambul	atory car	re can r	educe t	he likelih	nood of
						hospi tal i zati on					